



Science Institute

Part of CFAA Co.

E. Clownus scientific report

Copyright disclaimer: All the content in this report is copyrighted by the CFAA Co. Science Institute and by extension, CFAA Co. Credit must be given to CFAA Co. Science Institute or CFAA Co. when using any data or information, whether in part or whole, for any purpose, in any way, shape or form, unless for monetized reasons. In that case, contact the CFAA Co. Science Institute.

E. Clownus

The E. Clownus is a parasite which causes effects in a Homo sapien like a sudden urge to fool around and other stuff (For example: Throwing around a ball in an enclosed room, making weird noises, and being rude and defiant)

The E. Clownus has 2 main discovered stages of doing this to any Homo sapien:

The First Wave of Invasion;

And the Second Wave of Invasion.

Any Homo sapien infected by the E. Clownus before the First Wave of Invasion can also be known as a Homo partstupidus, however, this term is not generally used, as not enough change in the physical body is made in order to justify a species name change.

The First Wave of Invasion consists of the shooting of 69 deadly chemicals to the brain of any Homo sapien. This causes a significant permanent genetic change to the brain which will make the effects of the E. Clownus almost impossible to cure. Thus, after this stage, any infected Homo sapien is known as a Homo stupidus.

The Second Wave of Invasion consists of the shooting of 369 E. Clownus parasites throughout the entire body of the infected Homo sapien, now a Homo stupidus, having multiplied within the host, the Homo sapien. This will make the effects of the E. Clownus even more impossible to cure and will also cause a significant genetic change to the rest of the body, which includes every bone, muscle, tissue, organ, etc. After this stage, any infected Homo sapien or Homo stupidus will be known as a Homo clownus.

Strains

There are 3 strains of the E. Clownus parasite. From lowest to greatest effect, they are the LowE, MidE and HigE strain. However, the developing process to a Homo stupidus then Homo clownus will be the same as stated above.

For a Homo sapien infected with the E. Clownus (MidE strain), after the Second Wave of Invasion, the effect of the parasites and deadly chemicals will get worse until the effect on them is the same as that on a Homo sapien infected by the E. Clownus (HigE strain) after the Second Wave of Invasion.

For a Homo sapien infected with the E. Clownus (LowE strain), after the Second Wave of Invasion, the effect of the parasites and deadly chemicals will get worse until the effect on them is the same as that on a Homo sapien infected by the E. Clownus (MidE strain) after the Second Wave of Invasion, and then even more worse until the effect on them is the same as that on a Homo sapien infected by the E. Clownus (HigE strain) after the Second Wave of Invasion.

Body

The body of an E. Clownus is like a circular jelly-like substance. On the body, there are 2 target detectors, a physical to radio and vice versa conversion machine and there are string-like structures surrounding the body which will make it easier for the E. Clownus to infect any Homo sapien it has entered. The effectiveness of these string-like structures varies between the three strains. From lowest to greatest effect that these string-like structures have if the strain is: LowE, MidE or HigE.

Modifications

There is so far one discovered modification to the E. Clownus. It is the E. (V-Mod) Clownus. It originates from a E. Clownus entering L.E.G. and taking his violent behaviour. Later, after it multiplied within the host (L.E.G.), one of these got transmitted elsewhere and the E. (V-Mod) Clownus was born.

There is not much difference, except that violent behaviour is added to the list of things an infected is urged to do by the E. (V-Mod) Clownus.

Homo sapiens infected by the E. (V-Mod) Clownus after the First Wave of Invasion are known as Homo (v) stupidus.

Homo sapiens infected by the E. (V-Mod) Clownus after the Second Wave of Invasion are known as Homo (v) clownus.

Naming Scheme

There is an official naming scheme for those infected by the E. Clownus parasite after the First Wave of Invasion.

The E. Clownus without any modifications can be referred to as the E. (Normal) Clownus for clarity.

As for strains, there is the following:

Homo (Normal) stupidus who are LowE strain can be referred to as Homo (Normal[LowE]) stupidus,

Homo (Normal) stupidus who are MidE strain can be referred to as Homo (Normal[MidE]) stupidus,

And Homo (Normal) stupidus who are HigE strain can be referred to as Homo (Normal[HigE]) stupidus.

The same applies to all Homo (v) stupidus, Homo clownus and Homo (v) clownus.

There are also some special cases which the naming scheme provides for. Like for example, when a Homo clownus has a HigE strain of an E. (Normal) Clownus but a LowE strain of an E. (V-Mod) Clownus. In this example, the infected Homo clownus would be known as a Homo (Normal[HigE]) (v[LowE]) clownus. The same applies to similar cases.

Transmission

The E. Clownus can be transmitted in two ways: physically and digitally through social media.

About physical transmission:

It is semi-contagious from any Homo stupidus or Homo (v) stupidus;

And is entirely contagious from any Homo clownus or Homo (v) clownus.

About digital transmission:

An E. Clownus can turn itself into digital radio waves using its physical to radio and vice versa conversion machine. From there, it will enter a server used to support a social media platform. When a user or users accesses social media, the E. Clownus will attempt to infect the Homo sapien or sapiens.

About transmission in general:

If an E. Clownus tries to infect any Homo sapien who fools around, there is a 100 percent chance of them getting infected.

Prevention

If you are a Homo sapien, you are at risk of getting infected. You can prevent yourself from getting infected by an E. Clownus, no matter the strain or modification (if any) by doing one or more of the following (the more you follow the better):

- Do not fool around as much as possible
- Try to hang out with those who do not fool around
- Try to stay away from those who fool around as much as possible

Curing and Restraining

A Homo sapien who has been infected by the E. Clownus parasite but has not received the First Stage of Invasion can be cured by the presence of a Homo sapien who does not fool around for a significant period or if a Tanishorg Rimarch decides to cure you. Both can restrain the E. Clownus parasite's effect on the infected Homo sapien who has not received the First Stage of Invasion.

If there is a very well-behaved Homo sapien nearby, they may be able to cure a Homo stupidus or Homo (v) stupidus but will be able to at least restrain an E. Clownus parasite's effect on the Homo stupidus or Homo (v) stupidus. A Tanishorg Rimarch can both cure a Homo stupidus or Homo (v) stupidus, and restrain the E. Clownus parasite's effect in a Homo stupidus or Homo (v) stupidus.

Only a Tanishorg Rimarch can cure a Homo clownus or Homo (v) clownus;

Or restrain the effect of an E. Clownus parasite on a Homo clownus or Homo (v) clownus.

Other general information

The E. Clownus originates from an error in the developing process of the egg that eventually becomes “James”.

The E. Clownus is also the only discovered cause of a Homo sapien turning into a Homo stupidus or Homo clownus.

As of 00:32 UTC on 20 August 2019, the worst kind of Homo sapien infected by any E. Clownus, whether modified or not, is a Homo (v) clownus with HigE strain effect.